




5G BE7200 Wi-Fi 7 Router


Enjoy 5G+ Speed Sharing Everywhere



Archer NB450

5G Superior 5G up to 4.67 Gbps**

 Dual Band Powerful Wi-Fi 7

 EasyMesh-Compatible Seamless Wi-Fi*

 SIM Card Plug & Play


Highlights

Superior 5G – A Revolutionary Experience

Take advantage of your advanced 5G network with download speeds up to 4.67 Gbps. Share your 5G network with multiple Wi-Fi devices and enjoy uninterrupted Ultra HD movies, blazingly fast file downloads, and smooth video chats and video conferences. At the same time, NB450 is backward compatible with 4G mode.**


5G

Powerful Broadband Connection



4.67 Gbps**

4G-LTE Advanced



2 Gbps



Higher Speed



Lower Latency



Larger Capacity

Wi-Fi Where You Need It


Enjoy unmatched convenience and versatility. Tested in the field for years to ensure universal compatibility with 5G/LTE antennas to deliver a smooth connection. Simply plug in a Nano SIM card and power on this elegant piece of technology to utilize fast and stable Wi-Fi, whether you're at home or working remote.



Highlights


BE7200 – Powerful Wi-Fi 7

Archer BE7200 brings you incredibly fast dual-band speeds up to 3× faster than the previous AX generation of Wi-Fi, perfect for vivid 8K/4K streaming, intense online gaming, and more.



EasyMesh-Compatible Networking*


Mesh networking creates smooth, fast, stable roaming. Eliminate Wi-Fi dead zones, expand your network, and fill your entire home with high-speed Wi-Fi.



Highlights


Available WAN Connection

The 2.5 gigabit WAN/LAN port enables NB450 to work as a traditional wireless router which is compatible with cable, fiber, and DSL modems. And when it's set as a wireless router, its 5G/LTE connection works as a backup to provide a sustained and reliable internet connection for you.




Maximum Network Coverage

Advanced 5G/LTE antennas make efficient and stable connections to every device. Power Amplifier and Low Noise Amplifier boost sending and receiving capabilities, creating a wide-coverage Wi-Fi network for your home.



Features




5G Network

- 5G – Ideal for cutting-edge 5G network
- Backward Compatible – Compatible with 4G network



Wi-Fi Speed

- Superior Wireless Speed – Combined wireless speeds up to 1376 Mbps over 2.4 GHz, and 5760 Mbps over 5 GHz
- 802.11 be Standard– Wi-Fi 7 (802.11be) features advanced technology 4K QAM, drastically increasing the speed and efficiency of your entire network.†



Wi-Fi Range

- Great Coverage – Better coverage with integrated Wi-Fi omnidirectional antennas

Features



Reliability

- **Simultaneous Dual Band** – Separate Wi-Fi bands enable more devices to connect to your network without a drop in performance
- **Easy Bandwidth Management** – Advanced QoS makes it easier for you to manage the bandwidth of connected devices
- **Superior Stability** – Powerful processor enables you to connect up to 64 wireless devices with ease



Ease of Use

- **Intuitive Web UI** – Ensures quick and simple installation without hassle
- **Fast Encryption** – One-touch WPA wireless security encryption with the WPS button
- **Wi-Fi On/Off** – Conveniently turn on or off wireless radios as required
- **Hassle-free Management with Tether App** – Network management is made easy with the TP-Link Tether App, available on any Android and iOS device
- **Online Upgrade** – Keeps you informed of the latest firmware and allows online upgrade on the web UI




Security

- **Guest Network** – Keeps your main network secure by creating a separate network for friends and visitors
- **Access Control** – Establishes a whitelist or blacklist to allow or restrict certain devices to access the internet
- **Parental Controls** – Restrict internet access time and contents for your children's devices
- **Encryptions for Secure Network** – WPA, WPA2, and WPA3 encryptions provide active protection against security threats

Specifications

Hardware

- Interface: 3×Gigabit LAN Ports, 1×2.5 Gigabit LAN/WAN Port, 1×Nano SIM Card Slot, 2×SMA ports for 5G/4G External Antennas, 1×Power port
- Buttons: Wi-Fi/WPS Button, Power Button, RESET Button
- Antennas: Internal Wi-Fi Antennas, Internal NR/LTE Antennas
- External Power Supply: 12V/3.3A
- Dimensions (W x D x H): 4.5 x 4.5x 9.1 in (115 x 115x 230 mm)



Wireless

- Network Type
 - 5G: N1/N3/N5/N7/N8/N20/N28/N38/N40/N41/N71/N75/N76/N77/N78
 - 4G: FDD-LTE:B1/B3/B5/B7/B8/B20/B28/B32/B71
(2100/1800/850/2600/900/800/700/1500/600 MHz)
 - TDD-LTE: B38/B40/B41/B42/B43(2600/2300/2500/3500/3700 MHz)
 - 3G: DC-HSPA+/HSPA/UMTS:B1/B5/B8(2100/850/900 MHz)
- Wireless Standards: IEEE 802.11a/n/ac/ax/be 5 GHz, IEEE 802.11b/g/n/ax/be 2.4 GHz
- Frequency: 2.4 GHz and 5 GHz
- Signal Rate: 1376 Mbps at 2.4 GHz, 5760 Mbps at 5 GHz
- EIRP(CE): ≤20dbm(2.4GHz); ≤23dbm(5G band1/band2); ≤30dbm(5G band3)
- Reception Sensitivity

5GHz:		2.4GHz
11a 54M: -80 dBm		11g 54M: -78 dBm
11be EHT20: -61 dBm	11be EHT40: -59 dBm	11ax HE20: -66 dBm
11be EHT80: -56 dBm	11be EHT160: -53 dBm	11ax HE40: -63 dBm
11ax HE20: -68 dBm	11ax HE40: -65 dBm	11ac VHT20: -73 dBm
11ax HE80: -62 dBm	11ax HE160: -59 dBm	11ac VHT40: -69 dBm
11ac VHT20: -76 dBm	11ac VHT40: -72 dBm	11n HT20: -76 dBm
11ac VHT80: -68 dBm	11ac VHT160: -65 dBm	11n HT40: -73 dBm
11n HT20: -79 dBm	11n HT40: -75 dBm	
- Wireless Function: Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics
- Wireless Security: WPA/WPA2, WPA-PSK/WPA2-PSK, WPA3 encryptions

Specifications

Software

- Operating Modes: 3G/4G/5G Router, Wireless Router
- WAN Type: Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
- DHCP: Server, DHCP Client List, Address Reservation
- Quality of Service: Bandwidth Control
- Port Forwarding: ALG, Virtual Server, Port Triggering, UPnP, DMZ
- Dynamic DNS: TP-Link, DynDns, NO-IP
- VPN Server: PPTP VPN, IPsec VPN, OpenVPN
- Firewall Security: DoS, IPv4 SPI Firewall, IPv6 Firewall, IP and MAC Address Binding, Access Control
- Protocols: IPv4, IPv6
- Management: Access Control, Local Management, Remote Management, reboot schedule
- Guest Network: 2.4 GHz guest network x 1, 5 GHz guest network x 1

Others

- Certification:
CE, RoHS
- Requirements:
Edge, Firefox, Chrome, Safari, or other JavaScript-enabled browser
*You are recommended to use the latest version
Nano SIM Card
- Environment:
Operating Temperature: 0°C~40°C (32°F ~104°F)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing
- Package Contents
5G BE7200 Wi-Fi 7 Router Archer NB450
RJ45 Ethernet Cable
Power Adapter
Quick Installation Guide



For more information, please visit

https://www.tp-link.com/products/details/?model=Archer+NB450_V1

or scan the QR code left

Attention: This device may only be used indoors in all EU member states, EFTA countries and Northern Ireland.

Attention: This device may only be used indoors in Great Britain.

Specifications are subject to change without notice. TP-Link is a trademark of TP-Link Systems Inc. or its affiliates. Other brands and product names are trademarks or registered trademarks of their respective holders. ©2025 TP-Link Systems Inc. All rights reserved.

†Maximum 5G/4G download and upload speeds depend on external factors such as the local 5G/4G network coverage, data plan, real-time network capacity, client limitations, and environmental factors. Actual supported frequency bands may vary slightly in different regions due to certification.

#Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

§Actual network speed may be limited by the rate of the product's Ethernet WAN or LAN port, the rate supported by the network cable, internet service provider factors, and other environmental conditions.

△TP-Link EasyMesh-Compatible products can network with other devices that use EasyMesh. Failed connections may be due to firmware conflicts of different vendors. The EasyMesh-Compatible function is still being developed on some models and will be supported in subsequent software updates.

*Use of Wi-Fi 7 (802.11be), Wi-Fi 6 (802.11ax), and features including Multi-Link Operation (MLO), 4K-QAM, Multi-RUs, OFDMA, and MU-MIMO requires clients to also support the corresponding features.

**Wi-Fi generations represent the wireless standard IEEE 802.11a/b/g/n/ac/ax/be. All devices need to support 802.11 Wi-Fi protocols. Users may require an extra modem device that is compatible with their internet service provider to gain internet access.

☆This device requires an activated SIM card without a PIN lock. If the SIM card is locked, please consult the quick installation guide for unlocking instructions.

©2025 TP-Link

www.tp-link.com

TP-Link 5G BE7200 Wi-Fi 7 Router Archer NB450